

## Water Main Shut-Off

DMWV1

The Dome Water Main Shut-Off is a Z-Wave Plus Certified device that installs over any standard 1/2" to 1" ball valve, and is capable of opening or closing the valve as required. When the Water Main Shut-Off is paired with a leak sensor, at occurrence of a leak, it enables controlling the valve position (open/close) from the smarthome mobile application which cuts off water supply to limit the damage caused. The Water Main Shut-Off can be installed by a homeowner with just a screwdriver.

- Z-Wave Plus Certified
- Open or close a valve remotely
- Single-tool installation
- Z-Wave range up to 150 ft, acts as a repeater
- Install over existing valve
- Use with 1/2" to 1" size 1/4-turn flat handle brass ball valves
- Pair with Flood Sensors to automatically shut off your water when there is a leak anywhere in your home.

### KEY FEATURES



#### SINGLE TOOL INSTALLATION

Easy installation



#### LONG RANGE

Up to 150' of range



#### PREVENT WATER DAMAGE

Automatic shut-off

### TECHNICAL SPECIFICATIONS

- Dimensions of Sensor: 2.5 x 3.5 x 6.0 in (6.35 x 8.89 x 15.24 cm)
- Wireless protocol: Z-Wave (500 series)
- Frequency Band: 908.4 MHz (US), 921.4 MHz (AU/NZ), 868.4 MHz (EU)
- Range: Up to 150 ft depending on environment
- Power supply: 12VDC 1A (9ft reach)
- Working current: 35mA
- Power Consumption: 0.13W
- Operating Temperature: 32°F to 112°F (0°C to 44°C)
- Package Contents: User Manual, Water Main Shut-Off, Power Supply